

Instructions for the DUTCH Complete Panel

What you will receive in the mail in about a week. (Every test ordered will arrive separately.)

- 1. 1 lab kit which includes detailed instructions.
- 2. Fill out the required sections on both sides of the requisition form you printed.
- 3. To mail back the sample, please follow instructions, and use the envelope provided, and the 8 stamps to insure the kit is not delayed in the mail.
- 4. International patients will need to send the kit back using priority mail, to avoid delays. You may contact the lab if needed to ask questions about shipping.

Choose The Correct Requisition Form (Complete Vs. Adrenal) see above.

Be sure to include your requisition form with your test kit, or your sample may be discarded. Please double check you have selected the correct lab requisition form. Do this by checking your protocol sheet or invoice to match the correct test form.

What you need to do next:

- 1. Dr. Justin will go over your lab results with you as soon as they are in. We typically receive results in 2 weeks.
- 2. Make sure you have an appointment scheduled with the Dr. Justin to review the results.
- 3. At the start of your consult, Dr. Justin will share your lab results if requested.

NOTE: You MUST include your requisition form with your test kit, or your sample may be discarded.

For any other questions, please call the Lab directly at (503) 687-2050.

"NY & RI residents, please make sure you fill out the test release form on page 4.

Fill out with blue or black ink only



Provider Section - Completion Required for Testing

ORDERING HEALTHCARE PROVIDER

Dr. Justin Marchegiani Austin, TX 78741 512-535-1817

Fax: 707-227-1529

M dutch Complete	mplete
------------------	--------

Adrenal + Sex Hormone Metabolites + OATs

Cortisol (4), Cortisone (4), Cortisol Metabolites (3), Creatinine (4), Progesterone (2), Androgen (8), Estrogen Metabolites (10), 8-OHdG, Melatonin (6-OHMS), Organic Acid Tests (6)

□ dutch Adrenal

Cortisol (4), Cortisone (4), Creatinine (4), Cortisol Metabolites (3), DHEA-S

□ dutch Sex Hormone Metabolites

Progesterone (2), Androgen (8), Estrogen Metabolites (10)

□dutch OATs

Organic Acid Tests (6), 8-OHdG, Melatonin (6-OHMS)

ICD-10 Codes (USA Only) Write in one or more codes.

Codes pertaining to adrenal hormones (optional):

R53.83

Codes pertaining to sex (reproductive) hormones (optional):

			REQUIRE	D					
<u>N</u>	Patient Name (last, first)								
IATI	Date of Birth	(MM/DD/YY)	/	_/	_				
ORN	Height	Weight		□ Fe	male	□Male	•		
<u></u>	Email Address								
PATIENT INFORMATION	Address								
寷	City	State		Zip	Count	:ry			
PA	Day Phone		Cell	Phone					
		atino 🔲 N an American 🗖 N							
	Menstrual Cycles ☐ None ☐ Regu	ılar 🗆 Irregular	SAMP	LE COLL	ECTION D	ATE AND T	IME		
	Have you had any o	ovaries removed?	Date	Sample 1	- DINNERTIM Time	: [□ AM		
	If Yes, how many?	?				L	□ PM		
Z	☐ One ☐ Two			Sample	2 - BEDTIM	E ~10pm			
WOMEN	First Day of Last N (MM/DD/YY)	/lenses	Date		Time	-	□ AM □ PM		
Š	Pregnant: Yes	s □ No	•	e 3 - IMMI	EDIATELY AT				
	Birth Control:	Yes No	Date		Time	-	□ AM □ PM		
	If Yes, please spe	cify	c	iamnle 4	- 2-HR AFTER	WAKING			
			Date	umpic 4	Time		□ AM □ PM		
							1 171		

HORMONE, SUPPLEMENT AND PRESCRIPTION INFORMATION

Please complete the following information for any **progesterone**, **estrogens**, **DHEA**, **testosterone**, **pregnenolone**, **melatonin** or **cortisol** (cortef, hydrocortisone, etc.) you are taking. "Date Last Used" should be the last time you took the hormone before finishing the test.

For Route of Administration (ROA) list one of the following: 1=oral, 2=sublingual (under the tongue, between cheek/gum), 3=transdermal (skin) cream, 4=transdermal (skin) gel, 5=vaginal/labial creams/inserts, 6=rectal mucosa, 7=patch, 8=pellet, 9=injection, 10=other

Hormone	Brand	ROA (1-10)	Dose (mg)	Date Last Used	Times Per Day	Length of Use

 \square Not taking any listed hormones

PLEASE INDICATE IF YOU ARE TAKING ANY OF THE FOLLOWING PRESCRIPTION	NS:
□ DIM / I-3-C □ Thyroid (T3, T4) □ Hydrocortisone Cream □ Steroid Inhaler □ Steroid N	lasal Spray
☐ Glucocorticoid (Prednisone, Dexamethsone, etc.) ☐ Creatine ☐ Diabetes Medications	
Opioid (Narcotic) Pain Medications (hydrocodone, fentanyl, codeine, oxycodone, etc.)	
☐ Blood Pressure Medications ☐ 5-HTP ☐ Anti-Depressants/SSRIs(type)

Extra OVERNIGHT Sample - Optional							
Date	Time	□AM					
		\square PM					

Did you urinate overnight without collecting a sample?					
☐ Yes	□No				

LAB USE ONLY

			l do not suspect I have this	l suspect l have th		l have diagnosed			dutchtest
S	Addison's Dise	ease							RY DECISION ANALYTICAL INC
2	Adrenal Insuff	iciency						2120 NE D	Divergeto St. Suito #2016 McMingvillo OD 07129
STATES	Chronic Fatigu	ie						2120 IVE R	Rivergate St., Suite #301C · McMinnville, OR 97128 (503) 687-2050 dutchtest.com
	Cushing's Dise								(303) 007 2030 datencest.com
DISEASE	High Blood Pro								Please List any Current/Recent
A	Hyperthyroidi								Medical Diagnosis Not Listed
SIC	Hypothyroidis								Elsewhere On This Form
	Kidney Diseas								
	Type 2 Diabete								
	Polycystic Ova								
ш		Please R	ate Your Fatigue Lev	el During	g The	Day			
FATIGUE	0 = Never/None 1 = Sometimes/Mild			0	1	2 3			
8			Morning Fatigue]		
4	2 = Often/Mo		Afternoon Fatigue	e 🗆]		
-	3 = Always/Se	vere	Evening Fatigue]		
		'							
		PLEASE C	IRCLE SYMPTOM	S YOU A	ARE E	XPERIEN	ICING AN	D RATE TH	E OVERALL CATEGORY.
			0 = Never/None	1 = Son	netime	es/Mild 2	Often/Mode	erate 3 = Alv	ways/Severe
Won	ien			0	1	2 3	Men		0 1 2 3
Andro	ogen Excess		icalp Hair,				Androger	n Excess	Increased Sex Drive,
		Increase	d Body Hair, Acne						Body, or Facial Hair, Aggressive Behavior, Acne
Andro	gen Deficiency	Vaginal [Oryness, ed Sex Drive, Libido				Androger	n Deficiency	Decreased Libido, Erections,
									or Muscle Size, Increased Belly Fat, Apathy
N		Mood Sv	or Fibrocystic Breasts vings, Uterine Fibroid	i, □ ds,			Estrogen	Excess	Weight Gain (Breast or Hips),
		Heavy Bl	eeding						Prostate Problems
Estrog	gen Deficiency		nes, Night Sweats,						
		Vaginal [Oryness						
					0	1	2 3		WHICH BEST DESCRIBES YOU?
A N	0 = Never/None		Trouble Falling	Asleep					☐ Underweight
lé è			Trouble Staying						☐ At ideal weight
ΕŒ	1 = Sometime 2 = Often/Mo		Depression	, ю.сер					☐ 5-20 lbs Overweight
2 ≥	3 = Always/Se		Anxiety						□ >20 lbs Overweight
ADDITIONAL SYMPTOMS			-						Are you struggling to lose weight? ☐ Yes ☐ No
			Migraines						Are you struggling to lose weight? Tes No
		W	HAT ARE THE TO	ISSUE	s yo	U HOPE	THIS TEST	WILL HEL	P YOU RESOLVE?
		•	TIAT AUG. THE TO	15562	J . U	0 1101 2	11113 1231	******	1 100 KESOLVE.
	DI E	ASELIST	ANY ADDITIONA	I MEDI	CAT	IONS OP	CIIDDI EM	ENTS VOL	J ARE CURRENTLY TAKING.
		AJE EIJI	ANT ADDITIONA	IL IVILUI	CAI	IONS OR	JOI I LLIVI	LIVIS 100	ARE CORRECTED TARRING.
Dat	tient notes al	pase list :	anything about your	comple	م دمااء	action or r	nedical situ	iation that	you feel may be important for this lab test.
Pdl	ilent notes — pi	במשב וושל מ	anything about you	Sample	COILE	cuon or r	n c uicai Sill	ימנוטוו נוומנ	you reel may be important for this lab test.
1									

BOTH SIDES MUST BE COMPLETED







3138 NE Rivergate Street • Suite 301C • McMinnville, OR 97128 | ph. 503.687.2050 | fx. 503.687.2052 | dutchtest.com

NEW YORK & RHODE ISLAND TESTING RELEASE FORM

PATIENT NAME:	
ADDRESS:	
PHONE:	
DATE OF BIRTH:	
SAMPLE COLLECTION DATE(S):	
I hereby certify that the samples provided to Precision Analytical, Ir states of Rhode Island and New York. I understand that Precision Ai that fact and will process my samples upon receipt of this signed do	nalytical accepts this as proof of
PATIENT SIGNATURE:	
DATE SIGNED:	

The information contained in this transmission may contain privileged and confidential information, including patient information protected by federal and state privacy laws. It is intended only for the use of the person(s) named above. If you are not the intended recipient, you are hereby notified that any review, dissemination, distribution, or duplication of this communication is strictly prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy all copies of the original message.



FORM016 Rev 11.08.17



Most complete assessment of sex and adrenal hormones with 4 easy dried urine collections.

WHAT DAYS OF THE MONTH DO I COLLECT?

Men & Non-Cycling or Postmenopausal Women

Collect any day.

Cycling Premenopausal Women

Begin collection between days 19 and 22 of a 28-day cycle.


For longer cycles, add the number of days you usually go beyond 28 days. Subtract, in a similar manner, if your cycles are shorter (example: collect days 17 and 20 for a 26 day cycle).

You may collect any day if only ordering the dutch Adrenal.

If irregular cycles or not bleeding (ablation or uterus removed), watch the irregular cycle collection video in the video library at DutchTest.com for suggestions on collecting.

HOW TO COLLECT

- 1. Complete all information on each collection device.
- 2. Saturate the filter paper by urinating directly on it OR use a clean cup and dip the filter paper.
- 3. Leave the sample open to dry for at least 24 hours.
- 4. Once dry; Close the paper samples and return in the provided envelope with the completed requisition form (required) and the payment card (if needed).
 - Postage is required for shipment, and you may use an express shipping option if you wish to see faster results.
 - Results will be returned to your provider 5-10 days after they are received by the lab.



Need More Information?

go to **DutchTest.com** for video instructions!







Most complete assessment of sex and adrenal hormones with 4 easy dried urine collections.

WHEN TO COLLECT?

While adhering to your most common wake/sleep schedule, collect as close as possible to the below time-line.

dutch Collection Schedule



No Caffeine

or Large Fluid intake After Lunch

Dinner Time (#1)

Approximate time

NO Fluids Two Hours before samples #1 and #2

Bed Time (#2)

Approximate time

Extra Overnight Sample

Only if you wake

If you wake and urinate a second time, do not collect


At Waking (#3)

Within 10 minutes Do not lay awake in bed before sample #3

No more than one cup of fluids between Samples #3 and #4

2-hr After Waking (#4)

Two Hours After Waking (Tip: set a 2-hr timer after Sample #3)



Hormone Schedule

If you are taking hormones

Skip all **oral hormones** except **progesterone** the day of the test and skip **pregnenolone** for two days.

Collection Day 1

Take morning hormones as usual.

There is no need to skip any hormone creams/gels while taking this test.

Hormones taken at night and oral progesterone as usual, should be taken after sample #2.

Collection Day 2

Take your morning hormones and meds **AFTER** sample #4.

DO NOT TAKE morning hormones befire Sample #3 or #4 unless instructed to.

Extra Hormone Instructions

If you take **glucocorticoids** (Prednisones, Dexamenthasone, ect.) check with your provider.

For patches, pellets and injections - collect midway between doses.

If you take sublingual hormones (absorbed in the mouth under the tongue) OR if you take oral hydrocortisone (cortisol), visit DutchTest.com for video instructions.

Need More Information?

go to **DutchTest.com** for video instructions!







Most complete assessment of sex and adrenal hormones with 4 easy dried urine collections.

Frequently Asked Questions:

FAQ

Q: What if I miss a collection?

A: Simply collect the sample as instructed the following day. All samples do not need to be collected in one 24-hour period.

Q: Do I have to take the samples in the order listed on the instructions?

A: No, they can be collected in a different order. If you wish you may start with sample #3, followed by #4, #1 & #2.

Q: How long can I keep the dried samples before sending them in?

A: While hormone levels are very stable in dried samples, they should be sent back as soon as possible. If you have to wait to send them in, place in freezer (in bags) after drying.

Q: Do I need to stop taking my hormones for this test?

A: This test is built to test patients "on" their hormones. Our suggestion is to follow the Hormone Schedule given on these instructions, but follow any specific instructions given by your provider.

Q: What if my regular sleep schedule is abnormal? (night workers, ect.)

A: Collect the bedtime sample (#2) before your longest stretch of sleep, the waking sample (#3) after this sleeping period, and sample #4 two hours later. The dinnertime sample (#1) should be collected 4-7 hours before bed.

If you have questions, please email: info@dutchtest.com or call 503-687-2050

Need More Information?
go to DutchTest.com for video instructions!



